

AN ISO 9001:2015 CERTIFIED COMPANY



MADE IN INDIA



COLOR CORE  
PVC LAMINATES



M/s INNOVATIVE PRODUCTS

[www.meraki-pvc.com](http://www.meraki-pvc.com) | [info@meraki-pvc.com](mailto:info@meraki-pvc.com)  
follow us on facebook: [www.facebook.com/merakipvc](https://www.facebook.com/merakipvc)

COLOURFUL  
ANTIQUITY

Color  
creates  
mood



# COLOR CORE

PVC LAMINATES




## ABOUT US

Alluring, smart, enduring and graceful solutions for Home Decor Manufacturer of Superior Quality, Decorative Adorable Flex-ible PVC Laminates

Meraki, Innovative Products is one of the most trusted man-ufacturer of PVC Laminates, manufacturing PVC Laminates in different styles in Metallic, Laser, Designer Prints, High Gloss, Rustic Collection, 0 Gravity Range, Texture, Wood Grain, Soft/Super Matt, Marble and Fabric. As one of the leading Manufacturers, Exporters and Suppliers of PVC Lam-inate Sheets, we facilitate huge variety for our discerning and growing clientage across India and beyond. To meet the enormous demand for our products, we bring a high-ly-efficient manufacturing unit, where our employees carry out the manufacturing process in the most efficient manner. We cater to bulk orders from clients from all over the world.

Innovative Products is a widely sought-after name amongst manufacturers of PVC Products. We have been operational from Sonipat, Haryana, since 2015.





# U-GROOVE Radius Cutter



Step 1: Apne PVC laminate ki sheet ko size ke anusar kaat lijiye



Step 2: Plywood ya WPC board ko ispar rakhkar size ki janch kar lijiye




Step 3: V-Groove cutting ke liye nisan bana lijiye



Step 4: V-groove cutter se, jo bazar mein aasani se mil jata hai, groove bana lijiye



Step 5: Ab kono ko kaichi ki sahayata se kaat lijiye



Step 6: V-Groove ke nisan se savdhani purvak pvc laminate ko 90 degree bend kar lijiye



Step 7: Ab ise plywood ya wpc par SH-Fevicaol se chipkaiye.



FOR INTERIOR USE ONLY

NEEDS PROTECTION FROM SUNLIGHT

An ISO 9001:2015 Company



## Certification of Registration

### M/s INNOVATIVE PRODUCTS

ADDRESS : PLOT NO. 205 , HSIIDC INDUSTRIAL ESTATE , PHASE-1, BARHI, SONEPAT, HARYANA, INDIA

QA CERTIFICATION SERVICES PVT. LTD.

*Certify that the quality management system of the above organisation has been audited and found to be in accordance with the requirements of standard detailed below.*

ISO 9001:2015

MANUFACTURER OF PVC LAMINATES

Certificate No:- Q-IP-07.17.061

*This certification was conducted in accordance with the QA Certification Services Pvt. Ltd. auditing and Certification procedures and it is remain valid subject to annual surveillance audits.*

Certificate Issue Date: 21st September 2017  
Date of Initial Registration: 21st September 2017

Certificate Expiry Date : 20th September 2020  
Certificate Expiry Date:- 3 Years

Further clarification regarding the scope of this certificate of ISO 9001:2015 requirements may be obtained by consulting the organization  
To Check the certificate validity please  
Refer Web:- ([www.qacertification.asia](http://www.qacertification.asia)) or call at given numbers.



*[Signature]*  
CMD

QA Certification Services Pvt. Ltd.  
Email: [info@qacertification.asia](mailto:info@qacertification.asia), [www.qacertification.asia](http://www.qacertification.asia)

*[Signature]*  
DIRECTOR (CEO)



# Architect's Choice



**9000** Ultra Radiant  
(Pages 7-10)



**0G** 0 Gravity  
(Pages 17-20)



**500 SF** Suede Finish  
(Pages 27-30)



**500 MT** Solid Matt Collection  
(Pages 49-52)



**PVC**  
Laminate  
Collections



**10000** Shimmer Collection  
(Pages 15-16)



**1000** Metallic Collection  
(Pages 33-40)




**9500** Galaxy Pearl  
(Pages 11-14)



**500** Solid High Gloss  
(Pages 41-48)

Liner **0.8** mm  
(Page 53-54)





ULTRA RADIANT —

Color creates mood



MRK - 9001



MRK - 9004



MRK - 9002



MRK - 9005




MRK - 9003



MRK - 9006

ULTRA RADIANT —


Relish nobility  
everyday



MRK - 9007



MRK - 9010




MRK - 9008



MRK - 9011



MRK - 9009



MRK - 9012



**GALAXY PEARL —**

Make the walls shine  
in pastel glow



7"X3.5"

MRK - 9501

MRK - 9504

MRK - 9502

MRK - 9505

MRK - 9503

MRK - 9506




GALAXY PEARL —



MRK - 9507



MRK - 9508




MRK - 9509

Make the walls shine  
in pastel glow



MRK - 9507





# Shimmer

COLLECTION—



MRK - 10001




MRK - 10002

Cast your  
**IMPRESSION**  
with a design




0 GRAVITY —


Various forms of  
superiority



MRK - OG-01



MRK - OG-04



MRK - OG-02



MRK - OG-05



MRK - OG-03



MRK - OG-06



# 0 GRAVITY —



MRK - 0G-07

UPCOMING


UPCOMING





SUEDE FINISH—

Reflect the home  
in a great way!



5.25"X3.25"

MRK - 501 SF




MRK - 502 SF



MRK - 503 SF



MRK - 505 SF



MRK - 506 SF



MRK - 510 SF




SUEDE FINISH—

Warm, welcoming  
and essential




5.25"X3.25"

MRK - 522 SF



MRK - 526 SF



MRK - 523 SF



MRK - 524 SF



MRK - 523 SF



**METALLIC COLLECTION**



ESSENTIALITY &  
elegance



METALLIC COLLECTION

Adorning your trendiest furniture



7"X2.25"

MRK - 1001

MRK - 1003

MRK - 1004

MRK - 1019

MRK - 1002

MRK - 1005

MRK - 1018

MRK - 1006



METALLIC COLLECTION

Beauty looking designs



MRK - 1007



MRK - 1011



MRK - 1008



MRK - 1013



MRK - 1009



MRK - 1014



MRK - 1010



MRK - 1015



# METALLIC COLLECTION

Hook up with brilliant permanently



MRK - 1016



MRK - 1017



MRK - 1020



MRK - 1021



MRK - 1022



MRK - 1023



MRK - 1028






# METALLIC COLLECTION

Add more zest to  
your interiors



7"X2.25"

MRK - 1029



MRK - 1033



MRK - 1030




MRK - 1034



MRK - 1031



MRK - 1035



MRK - 1032




MRK - 1036



**SOLID HIGH GLOSS—**

Relish nobility  
everyday



MRK - 501 GL




MRK - 501 A GL



MRK - 502 GL




MRK - 502 A GL



MRK - 503 GL



MRK - 505 GL



MRK - 506 GL



MRK - 507 GL



SOLID HIGH GLOSS—

Observe serenity  
meet fashion



MRK - 531 GL



MRK - 511 GL




7"X2.25"

MRK - 510 GL



MRK - 512 GL



MRK - 515 GL





SOLID HIGH GLOSS—

Let the beauty  
of chaos takeover



7"X2.25"

MRK - 522 GL



MRK - 526 GL



MRK - 523 GL



MRK - 527 GL



MRK - 524 GL



MRK - 525 GL



MRK - 527 GL



SOLID HIGH GLOSS—

7"X2.25"

MRK - 537 GL

MRK - 538 GL

UP COMING DESIGN

MRK - 539 GL

UP COMING DESIGN

MRK - 540 GL

Make the walls shine  
in pastel glow



MRK - 538 GL




SOLID MATT  
COLLECTION —

Dine with charisma  
everyday



5.25"X3.25"

MRK - 501 MT




MRK - 502 MT



MRK - 503 MT



MRK - 505 MT



MRK - 506 MT




MRK - 510 MT



# SOLID MATT COLLECTION


Let the beauty of chaos takeover



MRK - 522 MT



MRK - 524 MT



MRK - 523 MT



MRK - 526 MT




MRK - 523 MT



## LINER 0.8 mm —



SUPER WHITE



SUPER WHITE LINER 0.8MM


FROSTY WHITE LINER 0.8MM

Only for inside application.  
Non-Bendable



SR.No.	Design No.	P. No	SR.No.	Design No.	P. No
1	MRK - 9001	7	57	MRK - 1013	30
2	MRK - 9002	7	58	MRK - 1014	30
3	MRK - 9003	7	59	MRK - 1015	30
4	MRK - 9004	8	60	MRK - 1015	31
5	MRK - 9005	8	61	MRK - 1017	31
6	MRK - 9006	8	62	MRK - 1020	31
7	MRK - 9007	9	63	MRK - 1021	31
8	MRK - 9008	9	64	MRK - 1021	32
9	MRK - 9009	9	65	MRK - 1023	32
10	MRK - 9010	10	66	MRK - 1028	32
11	MRK - 9011	10	67	MRK - 1029	33
12	MRK - 9012	10	47	MRK - 1030	33
13	MRK - 9501	11	68	MRK - 1031	33
14	MRK - 9502	11	69	MRK - 1032	33
15	MRK - 9503	11	70	MRK - 1033	34
16	MRK - 9504	12	71	MRK - 1034	34
17	MRK - 9505	12	72	MRK - 1035	34
18	MRK - 9506	12	73	MRK - 1036	34
19	MRK - 9507	13	74	MRK - 501 GL	35
20	MRK - 9508	13	75	MRK - 501 A GL	35
21	MRK - 9509	13	76	MRK - 502 GL	35
22	MRK - 10001	15	77	MRK - 502 A GL	35
23	MRK - 10002	16	78	MRK - 503 GL	36
24	MRK - 0G-01	17	79	MRK - 505 GL	36
25	MRK - 0G-02	17	80	MRK - 506 GL	36
26	MRK - 0G-03	17	81	MRK - 506 GL	36
27	MRK - 0G-04	18	82	MRK - 531 GL	37
28	MRK - 0G-05	18	83	MRK - 510 GL	37
29	MRK - 0G-06	18	84	MRK - 511 GL	38
30	MRK - 0G-07	20	85	MRK - 512 GL	38
31	UPCOMING	20	86	MRK - 515 GL	38
32	UPCOMING	20	87	MRK - 516 GL	38
33	MRK - 501 SF	21	88	MRK - 522 GL	39
34	MRK - 501 SF	21	89	MRK - 523 GL	39
35	MRK - 501 SF	21	90	MRK - 524 GL	39
36	MRK - 505 SF	22	91	MRK - 525 GL	39
37	MRK - 506 SF	22	92	MRK - 526 GL	40
38	MRK - 510 SF	22	93	MRK - 527 GL	40
39	MRK - 522 SF	23	94	MRK - 537 GL	41
40	MRK - 526 SF	24	95	MRK - 538 GL	41
41	MRK - 523 SF	24	96	MRK - 539 GL	41
42	MRK - 524 SF	24	97	MRK - 540 GL	41
43	MRK - 1001	27	98	MRK - 501 MT	43
44	MRK - 1004	27	99	MRK - 502 MT	43
45	MRK - 1002	27	100	MRK - 503 MT	43
46	MRK - 1018	27	101	MRK - 505 MT	44
48	MRK - 1003	28	102	MRK - 506 MT	44
49	MRK - 1019	28	103	MRK - 510 MT	44
50	MRK - 1005	28	104	MRK - 510 MT	45
51	MRK - 1006	28	105	MRK - 523 MT	45
52	MRK - 1007	29	106	MRK - 523 MT	46
53	MRK - 1008	29	107	MRK - 526 MT	46
54	MRK - 1009	29	108	SUPER WHITE LINER 0.8MM	48
55	MRK - 1010	29	109	FROSTY WHITE LINER 0.8MM	48
56	MRK - 1011	30			

STYLISTIC WOOD  
UNIQUE



**TECHNICAL SPECIFICATION**

**THICKNESS :** 1.2mm (±10%)  
**STANDARD SHEET SIZE :** 8'x4'

**RANGE :** These laminates come in a wide range of designs & colours.

**ADHESIVE :** These laminates are easy to apply with the standard laminating system, including most of the conventional adhesives normally used with plastic laminates such as many water based. We do not recommend the use of heat activated adhesives.

**LAMINATION :** Proper substrates must be used and careful bonding procedures must be observed. Substrates should be of good quality plywood, high density particle board, or high quality board. The face of the substrate must be smooth and free of grease, wax, dust, chips and other foreign matter.

**CUTTING & INSTALLATION :** These flexible pvc laminates sheets can be cut, routed and drilled, with standard wood working tools or equipments (MERAKI) all blades must be sharp. To remove any burrs that may occur in the cutting process, we recommend the use of a smooth file to feather all corner edges. In case of using of hand cutters, the company is not liable for any complaints of de-lamination.

**BENDING AND FORMING :** For bending the laminate sheets make use of 4X8X6mm Tee Radius U-Groove Blade. The groove should be of depth 0.6mm to 0.8mm & width 5mm or more. The router sheet will easily bend upto 90 degree.

**MAINTENANCE :** Any cleaning agent containing acids, alkalis or abrasive should not be used to clean the laminate, exposure to sunlight should be avoided.

**NOTE :** Meraki warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. In case of any claim, the liability of the company is only limited to the cost of the product only Meraki is not liable for the color variations from batch to batch production. The sample swatches here only represent the designs, colors and finishes. They do not represent actual thickness.

Kindly remove the protective film after 7 days of installation of PVC laminates.

**OTHER FEATURES**

