



LIFE. ARTS. INNOVATIONS.



S U P R E M E
a R C H
A U R A

REDEFINING THE NEW ERA OF DECOR

Portfolio 2023|24
Made in India

VOLUME
2

OUR MISSION VISION



To be the benchmark by which all interior product companies define themselves are globally admired for people, partnerships, quality & innovation

To be a global market leader via innovation and customer focus, while building a culture of continuous improvement.

DEVELOPING AND DELIVERING
QUALITY PRODUCTS

USHER IN THE DISTINCTIVE STYLE OF MERAKI TO YOUR LIFE.

Meraki, the name itself speaks about the creativity and innovations from the soul. For the First time in India, we represent another innovation "Textured PVC Laminates".

These laminates are 1.2mm thick and are custom-created to align with the needs and to enhance the beauty of Banquet Halls, Corporate Offices, Partition Walls and Home Interiors.

These Textured PVC Laminates are manufactured and designed in High-Gloss Shiny surface by using superior quality raw materials and contemporary tools.

This innovation by Meraki has been introduced, keeping in mind the luxury needs of Smart Architects and Builders for their opulent sites and projects which imparts a bold and stunning look to the interiors.

As one of the leading manufacturers, exporters and suppliers of PVC products, We enable a huge variety for our clients to choose from.

We cater to bulk orders from clients in all parts of the world. We also make arrangements for fulfilling the individual specifications desired by the clients, if any.

Meraki, a world class creation by Meraki Laminates Industries Pvt. Ltd. is a widely sought-after name amongst manufacturers of PVC products.

We are operational from Sonapat, Haryana since 2015.

SCAN TO DOWNLOAD
E-CATALOGUE





We recommend to use only Diamond Cutter Blade to cut the laminate sheet to avoid any type of delamination and pet peeling issues. In case of using Hand Cutter to cut the laminate sheets, **MERAKI** will not be responsible for any type of complains.

We recommend to use MERAKI U-Groove blade to bend the laminate at 90 degrees



Diamond कटर ब्लेड



Other Cutting Blades



U-Groove

OUR TEST
REPORTS AND
CERTIFICATIONS

SHREE RAM TESTING LABORATORIES
ISO 9001 : 2015 Approved Laboratory
Lab: A-2/103, Site-V, UPSIDC Industrial Area, Karna, Greater Noida-201306
Mob: 9953984801, 9717160780, 9999024801, E-mail: shreeamtlab@yahoo.com, Website: www.shreeamtlab.in

TEST REPORT

Issued to: M/S Innovative Products, HSIOD Industrial State, Plot No. 205, Phase-I, Barhi, Sonapat, Haryana, 131001
Report No: MS-090621-01
Report date: 24/06/2021
Sample Received: 09/06/2021
Analysis date: 09/06/2021 to 19/06/2021
Sampled By: Customer

Sample Description: PVC Sheet (Laminates)
Thickness: 1.20 mm

S.No.	Parameters	Units	Test Method	Results
6.	Thickness	mm	ASTM D638	1.20
7.	Density	kg/m ³	ASTM D2863	1700
8.	Recyclable Tests	-	SRTL SOP	Pass the test

Remarks: The tested parameters are meet as per specification.

END OF REPORT

AUTHORIZED SIGNATORY

Page 4 of 4

Note: (1) The above results are related only to the test performed on the sample. Endorsement to product is neither inferred. (2) This report is not to be reproduced wholly or in part & can not be used as an evidence in the court of law & should not be used in a any advertising media without special permission in writing (3) Sample will be destroyed after 90 days from the date of reporting unless otherwise specified. (4) Total liability of our lab is limited to the invoice amount (5) report refers to the sample drawn by shree ram testing laboratories unless mentioned otherwise

SHREE RAM TESTING LABORATORIES
ISO 9001 : 2015 Approved Laboratory
Lab: A-2/103, Site-V, UPSIDC Industrial Area, Karna, Greater Noida-201306
Mob: 9953984801, 9717160780, 9999024801, E-mail: shreeamtlab@yahoo.com, Website: www.shreeamtlab.in

TEST REPORT

Issued to: M/S Innovative Products, HSIOD Industrial State, Plot No. 205, Phase-I, Barhi, Sonapat, Haryana, 131001
Report No: MS-090621-01
Report date: 24/06/2021
Sample Received: 09/06/2021
Analysis date: 09/06/2021 to 19/06/2021
Sampled By: Customer

Sample Description: PVC Sheet (Laminates)
Thickness: 1.20 mm

S.No.	Parameters	Units	Test Method	Results
4.	Fire Retardant	-	ASTM D 2863 / GB8624-2006	Pass the test (BF1-S1,0)
5.	Flexibility	-	ASTM F994	Flexible up to 90°

Remarks: The sample found 90 degree bendable. After the fire test the sample found BF1-S1, 0 in Class which is satisfactory.

AUTHORIZED SIGNATORY

Page 3 of 4

Note: (1) The above results are related only to the test performed on the sample. Endorsement to product is neither inferred. (2) This report is not to be reproduced wholly or in part & can not be used as an evidence in the court of law & should not be used in a any advertising media without special permission in writing (3) Sample will be destroyed after 90 days from the date of reporting unless otherwise specified. (4) Total liability of our lab is limited to the invoice amount (5) report refers to the sample drawn by shree ram testing laboratories unless mentioned otherwise

SHREE RAM TESTING LABORATORIES
ISO 9001 : 2015 Approved Laboratory
Lab: A-2/103, Site-V, UPSIDC Industrial Area, Karna, Greater Noida-201306
Mob: 9953984801, 9717160780, 9999024801, E-mail: shreeamtlab@yahoo.com, Website: www.shreeamtlab.in

TEST REPORT

Issued to: M/S Innovative Products, HSIOD Industrial State, Plot No. 205, Phase-I, Barhi, Sonapat, Haryana, 131001
Report No: MS-090621-01
Report date: 24/06/2021
Sample Received: 09/06/2021
Analysis date: 09/06/2021 to 19/06/2021
Sampled By: Customer

Sample Description: PVC Sheet (Laminates)
Thickness: 1.20 mm

S.No.	Parameters	Units	Test Method	Results
2.	Anti Termites	-	SRTL SOP-152	Pass the test
3.	Water Proofing Test	-	SRTL SOP	No any change observed

Remarks: The sample found 100% Waterproof, Termite Proof.

AUTHORIZED SIGNATORY

Page 2 of 4

Note: (1) The above results are related only to the test performed on the sample. Endorsement to product is neither inferred. (2) This report is not to be reproduced wholly or in part & can not be used as an evidence in the court of law & should not be used in a any advertising media without special permission in writing (3) Sample will be destroyed after 90 days from the date of reporting unless otherwise specified. (4) Total liability of our lab is limited to the invoice amount (5) report refers to the sample drawn by shree ram testing laboratories unless mentioned otherwise

SHREE RAM TESTING LABORATORIES
ISO 9001 : 2015 Approved Laboratory
Lab: A-2/103, Site-V, UPSIDC Industrial Area, Karna, Greater Noida-201306
Mob: 9953984801, 9717160780, 9999024801, E-mail: shreeamtlab@yahoo.com, Website: www.shreeamtlab.in

TEST REPORT

Issued to: M/S Innovative Products, HSIOD Industrial State, Plot No. 205, Phase-I, Barhi, Sonapat, Haryana, 131001
Report No: MS-090621-01
Report date: 24/06/2021
Sample Received: 09/06/2021
Analysis date: 09/06/2021 to 19/06/2021
Sampled By: Customer

Sample Description: PVC Sheet (Laminates)
Thickness: 1.20 mm

S.No.	Parameters	Units	Test Method	Results
4.	Fire Retardant	-	ASTM D 2863 / GB8624-2006	Pass the test (BF1-S1,0)
5.	Flexibility	-	ASTM F994	Flexible up to 90°

Remarks: The sample found 90 degree bendable. After the fire test the sample found BF1-S1, 0 in Class which is satisfactory.

AUTHORIZED SIGNATORY

Page 3 of 4

Note: (1) The above results are related only to the test performed on the sample. Endorsement to product is neither inferred. (2) This report is not to be reproduced wholly or in part & can not be used as an evidence in the court of law & should not be used in a any advertising media without special permission in writing (3) Sample will be destroyed after 90 days from the date of reporting unless otherwise specified. (4) Total liability of our lab is limited to the invoice amount (5) report refers to the sample drawn by shree ram testing laboratories unless mentioned otherwise

SHREE RAM TESTING LABORATORIES
ISO 9001 : 2015 Approved Laboratory
Lab: A-2/103, Site-V, UPSIDC Industrial Area, Karna, Greater Noida-201306
Mob: 9953984801, 9717160780, 9999024801, E-mail: shreeamtlab@yahoo.com, Website: www.shreeamtlab.in

TEST REPORT

Issued to: M/S Innovative Products, HSIOD Industrial State, Plot No. 205, Phase-I, Barhi, Sonapat, Haryana, 131001
Report No: MS-090621-01
Report date: 24/06/2021
Sample Received: 09/06/2021
Analysis date: 09/06/2021 to 19/06/2021
Sampled By: Customer

Sample Description: PVC Sheet (Laminates)
Thickness: 1.20 mm

S.No.	Parameters	Units	Test Method	Results
4.	Fire Retardant	-	ASTM D 2863 / GB8624-2006	Pass the test (BF1-S1,0)
5.	Flexibility	-	ASTM F994	Flexible up to 90°

Remarks: The sample found 90 degree bendable. After the fire test the sample found BF1-S1, 0 in Class which is satisfactory.

AUTHORIZED SIGNATORY

Page 3 of 4

Note: (1) The above results are related only to the test performed on the sample. Endorsement to product is neither inferred. (2) This report is not to be reproduced wholly or in part & can not be used as an evidence in the court of law & should not be used in a any advertising media without special permission in writing (3) Sample will be destroyed after 90 days from the date of reporting unless otherwise specified. (4) Total liability of our lab is limited to the invoice amount (5) report refers to the sample drawn by shree ram testing laboratories unless mentioned otherwise



SCAN TO EXPLORE THE
COMPLETE COLLECTION



DIVINE | ALLURING | CAPTIVATING





EXPLORE

Our Complete Collection



INTERACTIVE INDEX

Please click on the Sample beside the Finish Name to the specific finish page.

Click on the Home button to return back to the Finish Index.



- Open downloaded e-PDF on any device.
- Browse through our entire collection right on your fingertips.
- Like a product on design? Click anywhere on the product to open its dedicated webpage.
- Here you will find the following details about the Product you chose:
 - Full Sheet View
 - Application Preview
 - Available Textures
 - Technical Details
- You can find the same information about all the products in the PDF by clicking on them.



INTERACTIVE PDF CATALOG

Full Sheet View



Experience a new fashion trend in contemporary homes, encompassing interiors with premier and stunning **MERAKI GOLD Textured PVC Laminates** with reflective, super smooth and polished finish.

Imagine replicating this look with just about any type of furniture anywhere.

CARVE YOUR DESIRES IN GOLD.



Metal
Collection





genuine
ELEGANCE


Wood Laminate
MGD-117

COPYRIGHT © FEB. 2016 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED


M | Metal
MERAKI-GOLD
TEXTURED PVC LAMINATES
Collection



SUPREME **ARCH**
AURA



MGD-118




MGD-116



MGD-117






Creative
DECOR

Used Laminate
MGD-120

COPYRIGHT © FEB. 2018 M&M INNOVATIVE PRODUCTS ALL RIGHTS RESERVED

M | Metal
MERAKI-GOLD
TEXTURED PVC LAMINATES Collection




SUPREME **ARCH**
AURA




MGD-119




MGD-120




MGD-121




MGD-122





MGD-123



MGD-124



MGD-125




MGD-126



aesthetic
SURFACES

COPYRIGHT © FEB. 2016 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED




MGD-101




MGD-102



MGD-115



MGD-108




MERAKI-GOLD
TEXTURED PVC LAMINATE

Metal
Collection




Resistant to
Chemical

SUPREME **ARCH**
AURAL



MGD-104



MGD-103



MGD-105

COPYRIGHT © FEB. 2016 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED






glamorous
GRACE

COPYRIGHT © FEB. 2016 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED


M | Metal
MERAKI-GOLD
TEXTURED PVC LAMINATES Collection



SUPREME **ARCH**
AURA



MGD-106



MGD-107





COPYRIGHT © FEB. 2018 MA INNOVATIVE PRODUCTS ALL RIGHTS RESERVED



MGD-112



MGD-110



MGD-113






Used Laminate
MGD-114

innovation
PRIDE

COPYRIGHT © FEB. 2018 M&M INNOVATIVE PRODUCTS ALL RIGHTS RESERVED



MGD-114



MGD-111





SPECTACULAR RANGE
THAT IS SURE TO LEAVE
AN EVERLASTING IMPACT
ON YOUR SENSES,
CHOOSE DESIGNS
THAT SUIT YOUR

style!



Metallic Sand Collection





grandeur
SPECTACLE

M[®] | Metallic
Sand Collection
MERAKI-GOLD
TEXTURED PVC LAMINATE



Matt &
Gloss Surface

SUPREME **ARCH**
AURA



MGD-201



MGD-202



MGD-203



MGD-204



COPYRIGHT © FEB. 2016 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED



D A Z Z L I N G D E C O R



C R E A T I V E

Regal Collection

TO SATIATE YOUR LOVE FOR GREAT
DECORS, THIS RANGE BY **MERAKI GOLD**
IS ALL THINGS STUNNING, TO MAKE
SPACES LOOK CAPTIVATING!



Creative
TEXTURES


COPYRIGHT © FEB. 2016 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED

M[®] | Regal
Collection
Glittering Wood Grains




Suitable for
Indoor Use

SUPREME **ARCH**
AURA



MGD-431



MGD-432





MGD-433



MGD-435



MGD-434



MGD-436




MGD-421



MGD-422



MGD-423



MGD-424



MGD-418



MGD-419






modern
DESIGNS

COPYRIGHT © FEB. 2016 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED


M | Regal
MERAKI-GOLD
TEXTURED PVC LAMINATE
Collection
Regal Leatherite

90°
90° Degree
Bendable

SUPREME **ARCH**
AURA



MGD-425



MGD-426



MGD-409



MGD-410



Used Laminate
MGD-403

Used Laminate
MGD-403

EXCLUSIVE
artist

COPYRIGHT © FEB. 2018 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED

M®
MERAKI-GOLD
TEXTURED PVC LAMINATE

Regal
Collection

Regal **Leatherite**

**CHEMICAL
RESISTANT**

Resistant to
Chemical

SUPREME **ARCH**
AURA



MGD-403



MGD-401



MGD-402





inspiring
REALM

COPYRIGHT © FEB. 2016 M&M MANUFACTURING PRODUCTS ALL RIGHTS RESERVED

M **Regal**
MERAKI-GOLD TEXTURED PVC LAMINATES Collection




SUPREME **ARCH**
AURA



MGD-405



MGD-404



MGD-406






Suitable for
Indoor Use




MGD-427



MGD-428




MGD-411



MGD-407




MGD-417



MGD-412

COPYRIGHT © FEB. 2018 M&S INNOVATIVE PRODUCTS ALL RIGHTS RESERVED




Used Laminate
MGD-413

COPYRIGHT © FEB. 2016 MS INNOVATIVE PRODUCTS ALL RIGHTS RESERVED


M[®] | Regal
MERAKI-GOLD
TEXTURED PVC LAMINATE Collection



SUPREME **ARCH**
AURAL



MGD-413



MGD-415



TECHNICAL SPECIFICATION

STANDARD SHEET SIZE 2440 x 1220 MM (8x4) FT (±2%)
THICKNESS 1.2 MM (±5%)

RANGE

These textured PVC laminates are easy to apply with the standard laminating system, including most of the conventional adhesives normally used with plastic laminate such as many water based adhesives. We do not recommend the use of heat activated adhesives.

LAMINATION

Proper substrates must be used and careful bonding procedure must be observed. Substrates should be of good quality plywood, high density particle board, or high quality board. The face of the substrate must be smooth and free of grease, wax, dust, chips, and other foreign matter.

CUTTING AND INSTALLATION

These texture flexible PVC laminates sheets can be cut, routed and drilled with standard wood working tool or equipments (MERAKI recommends use only Diamond Cutter Blades) to avoid de-lamination. All blades must be sharp to remove any burrs that may corner edges. In case of using hand cutters, the company is not liable for any complains of de-lamination.

BENDING & FORMING

For bending the laminate sheets make use of 4x8x6mm Tee Radius U – Groove Blade. The groove should be of depth 0.6mm to 0.8mm & width 5mm or more. The routed sheet will easily bend upto 90 degree.

MAINTENANCE

Any cleaning agent containing acid, alkalis, or abrasive should not be used to clean the textured pvc laminates, exposure to sunlight should be avoided.

NOTE

Meraki warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. In case of any claim, the liability of the company is only limited to product cost only. The sample swatches here only represent the designs, colors and finishes. They do not represent actual thickness. There may be color variations from batch to batch.

KINDLY REMOVE THE PROTECTION FILM AFTER 7 DAYS OF INSTALLATION OF PVC LAMINATES.



Termite &
Pest Proof



Fire
Retardant



Fully
Water Proof



90° Degree
Bendable



Resistant to
Chemical



Eco
Friendly



Matt &
Gloss Surface



Light
Weight



Suitable for
Indoor Use

OUR PRODUCTS

PVC LAMINATES

ACRYLIC LAMINATES

INTERIOR CLADS

WPE EXTERIOR LOUVERS

PVC LINER

MERAKI GOLD – TEXTURED PVC LAMINATES

3 MM MARBLE PANELS

3 MM PVC HPL



Diamond Cutter
Blades



Radius U-Groove
Blades



METAL COLLECTION

Design No. Page No.

MGD - 118 02
 MGD - 116 02
 MGD - 117 02

MGD - 119 04
 MGD - 120 04
 MGD - 121 04
 MGD - 122 04

MGD - 123 06
 MGD - 124 06
 MGD - 125 06
 MGD - 126 06

MGD - 101 08
 MGD - 102 08
 MGD - 115 08
 MGD - 108 08

MGD - 104 10
 MGD - 103 10
 MGD - 105 10

MGD - 106 12
 MGD - 107 12

MGD - 110 13
 MGD - 112 14
 MGD - 113 14

MGD - 114 16
 MGD - 111 16

METALLIC SAND COLLECTION

Design No. Page No.

MGD - 201 20
 MGD - 202 20
 MGD - 203 20
 MGD - 204 20

REGAL COLLECTION

Design No. Page No.

MGD - 431 24
 MGD - 432 24

MGD - 433 25
 MGD - 434 25
 MGD - 435 26
 MGD - 436 26

MGD - 421 28
 MGD - 422 28
 MGD - 423 28
 MGD - 424 28

MGD - 418 30
 MGD - 419 30

MGD - 425 32
 MGD - 426 32
 MGD - 409 32
 MGD - 410 32

MGD - 403 34
 MGD - 401 34
 MGD - 402 34

MGD - 405 36
 MGD - 404 36
 MGD - 406 36

MGD - 427 37
 MGD - 428 37
 MGD - 407 37
 MGD - 417 37

MGD - 411 38
 MGD - 412 38

MGD - 413 40
 MGD - 415 40

I N D E X



SUPREME ARCH AURA

REDEFINING THE NEW ERA OF DECOR

AN ISO 9001:2015 CERTIFIED COMPANY



Termite &
Pest Proof



Fire
Retardant



Fully
Water Proof



90° Degree
Bendable



Resistant to
Chemical



Eco
Friendly



Matt &
Gloss Surface



Light
Weight



Suitable for
Indoor Use



LIFE. ARTS. INNOVATIONS.

Meraki Laminates Industries Pvt. Ltd.

Web : www.meraki-pvc.com

Email : info@meraki-pvc.com

CUSTOMER CARE NUMBER

+91 9812 067 883

follow us on: [f](#) [i](#) [t](#)



WhatsApp Virtual
Assistant



Scan this QR to start a
WhatsApp chat with
MERAKI LAMINATES